

Contents lists available at ScienceDirect

Heliyon

journal homepage: www.cell.com/heliyon



Review article

Public health and economic burden of heavy metals in Ethiopia: Review



Yohannes Gelaye

Department of Horticulture, College of Agriculture and Natural Resources, Debre Markos University, Debre Markos, P.O. Box 269, Ethiopia

ARTICLE INFO

Keywords: Economic burden Heavy metals Lead Public health Strategies

ABSTRACT

Heavy metals pose a significant threat to public health and economic stability in Ethiopia, contaminating various environmental media, including water, soil, and air. This paper aimed to provide an overview of the public health and economic burden of heavy metals in Ethiopia. Exposure to heavy metals such as lead, mercury, cadmium, and arsenic has been linked to numerous adverse health effects, including neurological disorders, renal failure, cardiovascular diseases, and cancer. In Ethiopia, populations are particularly vulnerable to heavy metal exposure due to various factors, such as artisanal mining, industrial activities, agricultural practices, and inadequate waste management systems. The economic burden of heavy metal contamination manifests through increased healthcare costs, loss of productivity, and environmental remediation expenses. Furthermore, the impact extends to sectors such as agriculture and tourism, affecting national development goals and exacerbating poverty levels. Efforts to mitigate the public health and economic burdens of heavy metals in Ethiopia require multidisciplinary approaches, including policy interventions, regulatory enforcement, public awareness campaigns, and investment in sustainable development practices. Strengthening monitoring systems, implementing pollution control measures, and promoting research on alternative technologies for waste management are essential steps toward addressing this pressing issue. In conclusion, addressing the public health and economic challenges posed by heavy metal contamination in Ethiopia necessitates concerted efforts from the government, industry, academia, and civil society to safeguard human health, preserve the environment, and promote sustainable development.

1. Introduction

Heavy metals present a grave threat to public health and economic stability worldwide, particularly in regions like Ethiopia [1]. As industrialization accelerates and urbanization expands, heavy metal pollution becomes increasingly concerning due to its detrimental effects on human health, ecosystems, and economic progress [2]. Heavy metals harm public health and economics globally, worsened by industrial operations, mining, agriculture, and improper waste disposal [3]. Exposure to heavy metals like lead, mercury, cadmium, and arsenic is linked to neurological disorders, respiratory problems, cardiovascular diseases, cancers, and poses risks to ecosystems and biodiversity [4].

African nations, including Ethiopia, grapple with heavy metal pollution due to rapid industrialization and inadequate environmental regulations, worsened by urbanization in informal settlements lacking proper sanitation and waste management [5]. Additionally, artisanal and small-scale mining activities significantly contribute to heavy metal contamination in water bodies and soils

E-mail address: yohanes_gelaye@dmu.edu.et.

across the continent, disproportionately affecting vulnerable populations living in poverty [6].

In Ethiopia, the substantial public health and economic implications of heavy metals are evident, with research indicating wide-spread contamination of water sources, agricultural lands, and urban areas [7]. Communities relying on contaminated water face increased risks of heavy metal poisoning, leading to chronic health issues and higher healthcare costs [8]. Furthermore, agricultural productivity suffers as heavy metal accumulation in soils reduces fertility and crop yields, posing threats to food security and livelihood [9]. Studies conducted in Ethiopia reveal alarming levels of heavy metal contamination across various environmental matrices, particularly in urban and industrial areas [10]. Additionally, research highlights the bioaccumulation of heavy metals in food chains, posing risks to both human consumers and livestock alike [11]. Severe heavy metal contamination in Ethiopia includes lead over 100 mg/kg in Addis Ababa soil, mercury at 1.5 μ g/L near the Legedembi gold mine, and high cadmium and arsenic in vegetables, highlighting the need for policy reforms, technological innovations, awareness campaigns, and community engagement for sustainable development. Therefore, this paper was aimed to review the public health and economic burden of heavy metals in Ethiopia.

2. Review methodology

In this review of the literature, I employed diverse approaches. I consulted respected journals sourced from Scopus, Web of Science, and PubMed databases. The selection criteria predominantly targeted articles released post-2019, while omitting pertinent data and books. So, the review materials were chosen spanning the years, guided by indexes and respective protocols. In total, 32 articles (30.4%), 37 articles (35%), 34 articles (32%), 25 articles (23%), and 37 articles (35%) were sourced from WoS, Scopus, PubMed, All, and other databases, respectively. The year wise analysis indicates that the majority of articles were published between 2019 and 2023. The majority of the reviewed papers concluded that varying types of heavy metals significantly impact the public health and economy of the world encompassing Ethiopia.

3. Overview of heavy metals contamination

Heavy metal contamination poses a global concern with significant implications for both the environment and public health [12]. Metals such as lead, cadmium, mercury, arsenic, and chromium, although naturally occurring, enter ecosystems through industrial activities, mining operations, and agricultural practices [3,13]. Released metals accumulate in soil, water, and food chains, posing serious health risks such as neurological disorders, organ damage, and cancer, underscoring the need for global intervention [14].

In Africa, heavy metal contamination poses particular challenges due to factors like rapid industrialization, inadequate waste management, and weak regulatory frameworks [15]. Many African nations wrestle with pollution stemming from mining, industrial emissions, and improper disposal of electronic waste [16]. Agricultural practices worsen the issue by introducing contaminated water and fertilizers, leading to metal accumulation in soil and crops [17]. This disproportionately affects vulnerable communities lacking access to clean water and adequate healthcare. In Ethiopia, heavy metal contamination is increasing due to urbanization, industrial growth, and inadequate environmental regulations [18]. Industries such as mining, manufacturing, and agriculture release heavy metals into the environment, contaminating soil, water, and air [19]. Informal recycling and inadequate waste management in Ethiopia, especially near industrial and mining areas, heighten exposure risks, with soil lead levels in Addis Ababa exceeding 100 mg/kg and mercury levels in nearby water bodies at $1.5 \,\mu\text{g/L}$, comparable to contamination in China's industrial regions and Brazil's Amazon Basin, and similar cadmium and arsenic levels in vegetables as found in Bangladesh, all linked to non-communicable diseases and severe health issues, underscoring urgent global concerns for public and environmental health [20].

4. Heavy metal sources and exposure pathways

Heavy metals, naturally occurring elements found in the Earth's crust, have become concerning due to heightened human activities such as industrial processes, mining, agriculture, and urbanization [21]. These activities contribute to heavy metal pollution through various pathways, including emissions, effluents, and improper waste disposal, with common heavy metals such as lead, mercury, cadmium, chromium, and arsenic being associated [22]. Urbanization, transportation activities, and improper waste disposal significantly contribute to heavy metal pollution in urban environments, particularly through vehicle emissions, industrial activities, and landfill leachate [23,24]. Inhalation of airborne particles containing heavy metals is a significant exposure pathway, particularly in industrial and urban areas with high levels of air pollution [25]. In Ethiopia, rapid industrialization, mining activities, and agricultural practices contribute to heavy metal contamination in soil, water, and air [26]. Additionally, artisanal and small-scale mining, often informal and unregulated, pose significant environmental risks by releasing heavy metals such as mercury and lead into water bodies and soil [27]. Efforts to combat heavy metal pollution involve research, monitoring, regulation, cleaner production, and public awareness, with international collaboration essential for capacity-building and sustainable development in Ethiopia and Africa.

5. Public health impacts of heavy metals

Heavy metal contamination in Africa, especially Ethiopia, has severe public health implications, with metals like lead, mercury, cadmium, and arsenic released through industrial processes, mining, agriculture, and improper waste disposal [28,29]. These metals pose health risks through water contamination, with industrial activities and mining in Ethiopia notably contributing to pollution near mining sites (Table 1). Furthermore, heavy metals can infiltrate soil and crops, contaminating food sources, especially in agricultural regions using contaminated water for irrigation [30]. Chronic heavy metal exposure is linked to neurological disorders, kidney

damage, respiratory and cardiovascular issues, developmental delays, and cancers, especially for those near industrial or mining areas [4]. Children are particularly vulnerable due to their developing physiology and behaviors such as hand-to-mouth contact, potentially leading to developmental delays and cognitive impairments [31]. Heavy metal pollution also adversely affects ecosystems and wildlife, disrupting aquatic life and biodiversity [2]. These health impacts impose significant economic burdens on affected communities and healthcare systems, especially in low-resource settings.

6. Environmental impacts of heavy metals

Africa's vast mineral wealth fuels extensive mining activities, often conducted without rigorous environmental safeguards [32]. This results in the release of toxic heavy metals such as mercury, lead, and cadmium into the environment, contaminating soil, water, and ecosystems (Table 1). Industrial processes such as manufacturing and metal processing contribute further to heavy metal pollution through improper waste disposal practices [33]. Additionally, the growing issue of electronic waste exacerbates contamination, as discarded devices leach heavy metals into the environment, impacting air, soil, and water quality [34]. Heavy metals reduce biodiversity, impair soil fertility, and degrade water quality, with Ethiopia facing significant pollution from gold and tantalum mining, requiring a multifaceted approach to protect vulnerable populations and ecosystems [35]. Industrial practices, such as manufacturing and tanning, degrade the environment by discharging untreated heavy metal effluents [36,37]. Moreover, agricultural activities worsen the issue, as metal-containing pesticides and fertilizers contaminate soil, affecting crop growth and food safety [9,38]. Heavy metal pollution in Africa, including Ethiopia, harms biodiversity and human health, with aquatic ecosystems suffering and communities facing neurological and respiratory issues from contaminated food and water [39].

7. Risk assessment and management

Managing heavy metal risks in Africa, especially Ethiopia, is complex, involving scientific, regulatory, socio-economic, and political factors, with lead, mercury, cadmium, chromium, and arsenic threatening health, ecosystems, and agriculture [62]. These metals infiltrate the environment through human activities like mining, industrial processes, agriculture, and inadequate waste disposal. In Africa, rapid industrialization, informal mining, and weak environmental regulations exacerbate soil, water, and air pollution with heavy metals, leading to severe health issues such as neurological disorders, organ damage, and cancer, especially affecting vulnerable groups like children and pregnant women who are more susceptible to their toxic effects [63]. The accumulation of heavy metals in soil

Table 1Public health and environmental impacts of heavy metal (short summary).

Heavy metals	Public health impacts	Environmental impacts	Ref.
Lead (Pb)	Lead poisoning can cause developmental delays, learning difficulties, neurological and kidney damage, and reproductive issues, particularly affecting children and pregnant women.	Heavy metals accumulate in soil and water, hindering plant growth, causing reproductive issues in wildlife, and leading to neurological, kidney, and cardiovascular problems in humans.	[40-42]
Mercury (Hg)	Mercury exposure leads to neurological and kidney damage, respiratory issues, and developmental delays in children, with methylmercury in tainted fish being especially toxic.	Mercury bioaccumulates in aquatic food chains, harming human neurological health and causing reproductive issues in wildlife.	[43–45]
Cadmium (Cd)	Cadmium exposure can damage the kidneys, lungs, and bones, and increase the risk of cancers such as lung and prostate cancer.	Cadmium accumulates in soil and water, harming plants, wildlife, and human health, with links to kidney damage, lung cancer, and bone diseases.	[46,47]
Arsenic (As)	Arsenic exposure can result in skin lesions, cardiovascular disease, neurological effects, developmental delays in children, and an increased risk of certain cancers such as skin, lung, bladder, and liver cancer.	Heavy metals pollute water sources, harm plant growth, and cause health issues like skin lesions, cardiovascular diseases, and cancers in humans.	[48,49]
Chromium (Cr)	Hexavalent chromium (Cr(VI)) causes lung cancer and other health issues, while trivalent chromium (Cr(III)) can induce skin irritation and allergic reactions.	Hexavalent chromium is a carcinogen that contaminates soil and water, affects plant and aquatic life, and poses health risks to humans through the food chain.	[50,51]
Nickel (Ni)	Nickel exposure can trigger skin allergies, dermatitis, respiratory issues if inhaled, and potentially increase the risk of lung cancer.	Impairing plant growth and reducing crop yields, heavy metals are toxic to aquatic organisms, disrupting aquatic ecosystems and are linked to respiratory issues and lung cancer in humans.	[52,53]
Copper (Cu)	While essential at low levels, excess copper exposure can cause gastrointestinal issues, liver and kidney damage, and neurological symptoms such as headaches and confusion.	Excessive copper in water harms aquatic life, accumulates in soil affecting microbial communities and plant growth, and can cause gastrointestinal issues and liver damage in humans.	[54,55]
Zinc (Zn)	Zinc, essential in moderation, can cause gastrointestinal problems such as vomiting and diarrhea in excess, and in severe cases, may lead to neurological symptoms and copper deficiency.	High levels of zinc are toxic to aquatic organisms, disrupting ecosystems and accumulating in soil, affecting quality and plant growth, while excessive intake in humans causes gastrointestinal issues and hampers copper absorption.	[56,57]
Beryllium (Be)	Beryllium exposure causes chronic beryllium disease, leading to coughing, shortness of breath, fatigue, and skin sensitization with allergic reactions.		[58,59]
Thallium (Tl)	Thallium exposure can cause gastrointestinal issues, neurological symptoms, hair loss, and severe damage to the nervous system, kidneys, and heart.	-	[60,61]

and water disrupts ecosystems, imperils biodiversity, and compromises food security by reducing crop yields [64]. Numerous African nations require stronger regulations to manage heavy metal pollution, emphasizing the urgent need for enhanced environmental oversight and stricter enforcement [65]. Interdisciplinary collaboration among scientists, policymakers, and stakeholders is essential for assessing contamination sources, exposure routes, and prioritizing actions for pollution prevention and public health [65].

In Ethiopia, addressing heavy metal contamination is vital for food safety and public health, with soil testing, better waste management, and sustainable mining regulations crucial for mitigating risks and promoting sustainable development [66]. Regional and international collaboration is essential for tackling cross-border heavy metal pollution, with African countries benefiting from partnerships with global organizations, research institutions, and donors for expertise, funding, and best practices [67]. Applying Integrating Human Health and Ecological Risk Assessment (HHERA) principles to heavy metal exposure involves identifying contaminants, assessing risks, quantifying exposure through soil, water, and food, and implementing regulatory and remediation measures to protect health and the environment.

8. Public awareness and education

Public awareness and education about heavy metals in Africa, including Ethiopia, are crucial due to their impact on health, the environment, and economic development, with pollutants like lead, mercury, cadmium, arsenic, and chromium stemming from industrial, mining, agricultural, and household sources [68]. Raising awareness about the dangers of heavy metals is crucial, as these substances can accumulate in the body, leading to long-term health issues such as neurological disorders, kidney damage, respiratory problems, and cancer. Public health campaigns, educational resources, and community outreach efforts can empower people to understand these risks and take protective measures [69]. Soil and water contamination can disrupt ecosystems, harm aquatic life, and contaminate food crops, ultimately impacting food security [39]. Raising awareness of heavy metal pollution can mobilize communities to support sustainable practices and push for stricter regulations on emissions and waste disposal [70]. Public education should highlight common sources of heavy metal contamination, such as industrial emissions, mining, improper waste disposal, and contaminated agricultural inputs [71]. Communities can use waste management, cleaner production, and awareness campaigns to push governments for stronger enforcement against polluting industries [72]. Raising public awareness about international agreements and conventions on heavy metal pollution, while building local capacity and investing in affordable technologies, can empower communities to effectively address contamination [73]. Public awareness and education efforts should prioritize community engagement and participation to ensure inclusivity and sustainability [74,75]. Involving local communities, empowering grassroots organizations, and fostering partnerships across sectors can enhance intervention effectiveness and promote local ownership of environmental initiatives [76]. In Ethiopia, tackling heavy metal pollution needs a multi-sectoral approach involving government, NGOs, academia, businesses, and local communities [77]. Raising awareness, improving education, enforcing regulations, and encouraging community involvement can help Ethiopia and other African nations mitigate heavy metal contamination and protect public health.

9. Economic burdens of heavy metals

In rapidly industrializing African countries like Ethiopia, weak environmental regulations worsen the economic impact of heavy metals, with global costs exceeding \$9 billion annually [78]. Exposure to heavy metals can lead to a wide range of health problems, including neurological disorders, developmental delays in children, respiratory issues, and various cancers [4]. Treating these health issues can impose substantial costs on healthcare systems, including expenses for hospitalization, medication, and long-term care [79]. Heavy metal exposure can impair cognitive function, reduce work capacity, and lead to absenteeism due to illness [80,81]. In agricultural settings, heavy metal contamination of soil and water can reduce crop yields and livestock productivity (Table 2), further impacting economic output [71]. Cleaning up contaminated sites and mitigating the effects of heavy metal pollution requires substantial financial resources [82]. Soil and water remediation, pollution control, and related costs impact tourism, agriculture, and

 Table 2

 Economic burdens of heavy metals (short summary).

Heavy metals	Economic burdens of heavy metals	Ref.
Pb	Pb, found in old paint, pipes, batteries, and industrial emissions, causes' neurological damage in children, leading to learning disabilities and behavioral issues.	
Hg	Hg from power plants, mining, and industry accumulates in fish, posing health risks and leading to neurological and developmental issues.	86] [87, 88]
Cd	Cd from mining, smelting, and industry contaminates soil and water, potentially causing kidney damage, lung cancer, and bone disease.	[89, 90]
As	As, naturally found and released by mining and industry, poses risks like skin lesions, cancer, and cardiovascular diseases.	[91, 92]
Cr	Cr, used in steel production and leather tanning, contaminates soil and water, with some forms causing lung cancer and skin irritation.	[93, 94]
Ni	Ni from industrial emissions, mining, and metal processing can contaminate soil and water, leading to lung cancer and allergic reactions.	[95]
Cu	Cu, used in wiring and plumbing, can leach from mining and industry, with excessive exposure causing liver and kidney damage.	[96, 97]

industry [83]. Enforcing heavy metal regulations demands resources for monitoring and legal action, exacerbating social inequalities and requiring extra economic investment for affected communities [84]. Overall, the economic burdens of heavy metal pollution in African countries like Ethiopia are substantial and multifaceted, encompassing healthcare costs, lost productivity, environmental remediation, impacts on tourism and agriculture, legal and regulatory expenses, and social costs (Table 2).

10. Research and innovation

Research and innovation on heavy metal contamination in Africa, including Ethiopia, are crucial for tackling environmental and public health challenges [1]. Research often begins by assessing heavy metal levels in soil, water, air, and biota to identify contamination sources and pathways [98]. In Ethiopia, for instance, researchers have conducted studies to assess heavy metal contamination in soils due to mining activities and industrial pollution [99]. Innovation is key to developing technologies for remediating heavy metal contamination, with researchers in Africa, including Ethiopia, exploring methods like phytoremediation, bioremediation, chemical immobilization, and advanced filtration systems [100]. Research findings often inform policy formulation and regulation aimed at mitigating heavy metal pollution [101]. Ethiopia is working to strengthen regulations and enforcement to control industrial emissions, regulate mining, and improve waste management [102]. Capacity building initiatives are essential for enhancing local expertise in monitoring, assessing, and managing heavy metal pollution [103]. Collaborative research, training workshops, and academic partnerships build capacity for researchers, policymakers, and environmental practitioners in Africa, including Ethiopia [104]. Community-based participatory research approaches empower communities to take ownership of environmental health issues and advocate for sustainable solutions [105]. Researchers are using nanotechnology and sustainable methods to address heavy metal pollution in Africa, promoting collaboration and knowledge exchange [106]. African researchers are innovating with nanotechnology and sustainable methods to remediate heavy metal pollution, fostering collaboration and best practice development [106].

11. Remediation strategies

11.1. Worldwide strategies

Managing global heavy metal pollution requires coordinated efforts across sectors, including environmental protection, public health, industry, and policy-making. Governments must enforce strict regulations, emphasize pollution prevention, and invest in research on remediation technologies [107]. Comprehensive monitoring, awareness campaigns, international collaboration, and capacity building in developing countries are essential [108]. Encouraging corporate responsibility and adopting an integrated approach are also crucial to mitigating global heavy metal pollution [38].

11.2. Africa-specific strategies

Heavy metals in Africa pose unique challenges due to socio-economic, environmental, and geopolitical factors. Tailored strategies, including assessment, technology utilization, capacity building, and regulation enforcement, are essential [109]. Community engagement, innovative remediation technologies, cross-sector collaboration, and integration into sustainable development are essential for effective environmental management [110].

11.3. Ethiopia-specific strategies

Managing heavy metals in Ethiopia, like elsewhere, demands a multifaceted approach involving regulations, technology, awareness, and global collaboration, including strengthening environmental laws and enforcing regulations on emissions, waste, and mining [111]. Furthermore, it involves establishing monitoring systems for heavy metal levels, investing in training programs for government and industry personnel, and partnering with international organizations for technical support [112]. Educating communities on heavy metal risks, promoting public pollution monitoring, sustainable agriculture, and cleaner industry practices are crucial in managing heavy metals [113]. Implementing waste management systems for industrial waste containing heavy metals and supporting cleaner technologies in manufacturing processes are essential steps toward reducing environmental contamination [114]. Efforts to manage heavy metals entail enhancing mining regulations, implementing rehabilitation programs, securing international funding and technical support, participating in regional initiatives, investing in research, and fostering interdisciplinary collaborations for effective management in Ethiopia and beyond [78].

11.4. Research gaps and future line of works

Despite global studies on heavy metal impacts, comprehensive assessments integrating data from diverse regions, including Ethiopia, are lacking. Conduct meta-analyses to synthesize global data and identify gaps. Collaborate to initiate multi-country studies in Africa, focusing on Ethiopia's heavy metal pollution. Conduct surveys to map contamination, investigate exposure pathways, assess health effects, and quantify economic costs, implementing interventions to evaluate effectiveness and inform policy decisions.

12. Summary and conclusions

The heavy metal contamination in Ethiopia poses a significant threat to public health and economic stability, as toxins such as lead, mercury, cadmium, and arsenic infiltrate the environment through industrial emissions, farming practices, and improper waste disposal, contaminating water, soil, and crops. Exposure to heavy metals causes severe health issues such as neurological disorders, respiratory illnesses, and increased cancer risks, especially affecting vulnerable groups like children and pregnant women with limited healthcare access. Additionally, the economic impact includes strains on healthcare systems, decreased productivity, and expensive environmental cleanup efforts. Combining expertise from public health, environmental science, economics, and policy-making can improve the effectiveness of mitigation strategies. Addressing heavy metal contamination in Ethiopia necessitates urgent national and international intervention, including stringent emission regulations, enhanced waste management practices, and protection of food and water resources, alongside increased monitoring, improved healthcare access, and heightened public awareness. Investing in research and innovation for efficient pollution detection and mitigation is crucial, requiring collaboration among government, academia, industries, and civil society to pool resources and expertise.

13. Recommendation

Addressing heavy metal contamination in Ethiopia necessitates a comprehensive approach that includes researching contamination sources, enforcing strict regulations, enhancing detection capabilities, raising public awareness, strengthening healthcare facilities, investing in innovative technologies, seeking partnerships for support, and establishing long-term monitoring programs. Implementing these measures can help Ethiopia mitigate the health and economic impacts of heavy metal contamination, ensuring a healthier and more sustainable future.

Data availability statement

Data sharing is not applicable to this article, as no new data was analyzed in this study.

Funding information

No funding was received for this work.

CRediT authorship contribution statement

Yohannes Gelaye: Writing - review & editing, Writing - original draft, Methodology, Investigation, Conceptualization.

Declaration of competing interest

The authors declare the following financial interests/personal relationships which may be considered as potential competing interests: Yohannes Gelaye reports administrative support was provided by Debre Markos University College of Agriculture and Natural Resource. Yohannes Gelaye reports a relationship with Debre Markos University College of Agriculture and Natural Resource that includes: employment. Yohannes Gelaye has patent pending to Issued. There is no any conflict of interests between the authors. If there are other authors, they declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

Acknowledgments

The author acknowledges anonymous editors and potential reviewers for their valuable input in the manuscript.

References

- [1] B.O. Anyanwu, A.N. Ezejiofor, Z.N. Igweze, O.E. Orisakwe, Heavy metal mixture exposure and effects in developing nations: an update, Toxics 6 (4) (2018) 65.
- [2] P.K. Rai, Heavy metal pollution in aquatic ecosystems and its phytoremediation using wetland plants: an ecosustainable approach, Int. J. Phytoremediation 10 (2) (2008) 133–160.
- [3] S. Mishra, et al., Heavy metal contamination: an alarming threat to environment and human health, Environmental biotechnology: For sustainable future (2019) 103–125.
- [4] H. Hu, Human health and heavy metals exposure, Life support: The environment and human health 4 (2002) 1-12.
- [5] K. Boadi, M. Kuitunen, K. Raheem, K. Hanninen, Urbanisation without development: environmental and health implications in African cities, Environ. Dev. Sustain. 7 (2005) 465–500.
- [6] J. De Haan, K. Dales, J. McQuilken, Mapping Artisanal and Small-Scale Mining to the Sustainable Development Goals, Newark DE: University of Delaware (Minerals, Materials and Society program in partnership with PACT), 2020.
- [7] K.S. Ritter, Paul Sibley, Ken Hall, Patricia Keen, Gevan Mattu, Beth Linton, Len, Sources, pathways, and relative risks of contaminants in surface water and groundwater: a perspective prepared for the Walkerton inquiry, J. Toxicol. Environ. Health, Part A 65 (1) (2002) 1–142.
- [8] H. Chappells, N. Campbell, J. Drage, C.V. Fernandez, L. Parker, T.J. Dummer, Understanding the translation of scientific knowledge about arsenic risk exposure among private well water users in Nova Scotia, Sci. Total Environ. 505 (2015) 1259–1273.

[9] I.C. Vasilachi, V. Stoleru, M. Gavrilescu, Analysis of heavy metal impacts on cereal crop growth and development in contaminated soils, Agriculture 13 (10) (2023) 1983.

- [10] B. Samuel, S. Solomon, F. Daniel, G. Zinabu, G. Riise, Heavy metals contamination of soil in the vicinity of Hawassa Industrial Zone, Ethiopia, J. Appl. Sci. Environ. Manag. 24 (8) (2020) 1447–1454.
- [11] L. Dsikowitzky, M. Mengesha, E. Dadebo, C.E.V. de Carvalho, S. Sindern, Assessment of heavy metals in water samples and tissues of edible fish species from Awassa and Koka Rift Valley Lakes, Ethiopia, Environ. Monit. Assess. 185 (2013) 3117–3131.
- [12] M.M. Ali, D. Hossain, A. Al-Imran, M. Khan, M. Begum, M. Osman, Environmental pollution with heavy metals: a public health concern, Heavy metals-their environmental impacts and mitigation (2021) 771–783.
- [13] S. Kumari, A. Mishra, Heavy Metal Contamination, Soil Contamination-Threats and Sustainable Solutions, IntechOpen, 2021.
- [14] G.I. Edo, et al., Environmental persistence, bioaccumulation, and ecotoxicology of heavy metals, Chem. Ecol. (2024) 1-28.
- [15] J. Nyika, M.O. Dinka, Global industrial impacts of heavy metal pollution in sub-saharan Africa, IGI Global (2023).
- [16] L. Saha, V. Kumar, J. Tiwari, S. Rawat, J. Singh, K. Bauddh, Electronic waste and their leachates impact on human health and environment: global ecological threat and management, Environmental Technology & Innovation 24 (2021) 102049.
- [17] T. Arao, S. Ishikawa, M. Murakami, K. Abe, Y. Maejima, T. Makino, Heavy metal contamination of agricultural soil and countermeasures in Japan, Paddy Water Environ. 8 (2010) 247–257.
- [18] F.T. Gemeda, D.D. Guta, F.S. Wakjira, G. Gebresenbet, Occurrence of heavy metal in water, soil, and plants in fields irrigated with industrial wastewater in Sabata town, Ethiopia, Environ. Sci. Pollut. Control Ser. 28 (2021) 12382–12396.
- [19] D.B. Bahiru, L. Yegrem, Levels of heavy metal in vegetable, fruits and cereals crops in Ethiopia: a review, Int. J. Environ. Monit. Anal. 9 (4) (2021) 96.
- [20] S. Orlins, D. Guan, China's toxic informal e-waste recycling: local approaches to a global environmental problem, J. Clean. Prod. 114 (2016) 71–80.
- [21] E.T.W. Nachana'a Timothy, Environmental pollution by heavy metal: an overview, Chemistry 3 (2) (2019) 72-82.
- [22] M. Balali-Mood, M. Sadeghi, Toxic mechanisms of five heavy metals: mercury, lead, chromium, cadmium, and arsenic, Front. Pharmacol. 12 (2021) 643972.
- [23] M. Kumar, et al., Review of perspective, problems, challenges, and future scenario of metal contamination in the urban environment, Journal of Hazardous, Toxic, and Radioactive Waste 21 (4) (2017) 04017007.
- [24] M. Jayakumar, U. Surendran, P. Raja, A. Kumar, V. Senapathi, A review of heavy metals accumulation pathways, sources and management in soils, Arabian J. Geosci. 14 (20) (2021) 2156.
- [25] D. Sah, P.K. Verma, K.M. Kumari, A. Lakhani, Chemical fractionation of heavy metals in fine particulate matter and their health risk assessment through inhalation exposure pathway, Environ. Geochem. Health 41 (2019) 1445–1458.
- [26] N.A. Minase, M.M. Masafu, A.E. Geda, A.T. Wolde, Heavy metals in agricultural soils of Central Ethiopia: the contribution of land use types and organic sources to their variability, Open J. Soil Sci. 6 (6) (2016) 99–112.
- [27] J. Macháček, Typology of environmental impacts of artisanal and small-scale mining in African Great Lakes Region, Sustainability 11 (11) (2019) 3027.
- [28] V. Dahiya, Heavy metal toxicity of drinking water: a silent killer, GSC Biological and Pharmaceutical Sciences 19 (1) (2022) 20-25.
- [29] H. Ali, E. Khan, I. Ilahi, Environmental chemistry and ecotoxicology of hazardous heavy metals: environmental persistence, toxicity, and bioaccumulation, J. Chem. 2019 (2019).
- [30] A.S. Abuzaid, M.A. Abdel-Salam, A.F. Ahmad, H.A. Fathy, M.E. Fadl, A. Scopa, Effect of marginal-quality irrigation on accumulation of some heavy metals (Mn, Pb, and Zn) in TypicTorripsamment soils and food crops, Sustainability 14 (3) (2022) 1067.
- [31] Y. Zhou, W. Ma, Heavy metal exposure and children's health, Emerging chemicals and human health (2019) 79-97.
- [32] M.M. Pretty, K.O. Odeku, Harmful mining activities, environmental impacts and effects in the mining communities in South Africa: a critical perspective, Environ. Econ. 4 (8) (2017) 14–24.
- [33] U. Jadhav, H. Hocheng, A review of recovery of metals from industrial waste, Journal of Achievements in Materials and Manufacturing Engineering 54 (2) (2012) 159–167.
- [34] E. Hsu, K. Barmak, A.C. West, A.-H.A. Park, Advancements in the treatment and processing of electronic waste with sustainability: a review of metal extraction and recovery technologies, Green Chem. 21 (5) (2019) 919–936.
- [35] F. Onditi, Gender inequalities in africa's mining policies: a study of inequalities. Resource Conflict and Sustainability, Springer Nature, 2022.
- [36] G.L. Tadesse, T.K. Guya, M. Walabu, Impacts of tannery effluent on environments and human health: a review article, Adv. Life Sci. Technol. 54 (10) (2017).
- [37] G. Saxena, R. Chandra, R.N. Bharagava, Environmental pollution, toxicity profile and treatment approaches for tannery wastewater and its chemical pollutants. Rev. Environ. Contam. Toxicol. 240 (2017) 31–69.
- [38] I. Zahoor, A. Mushtaq, Water pollution from agricultural activities: a critical global review, Int. J. Chem. Biochem. Sci 23 (1) (2023) 164–176.
- [39] I. Bashir, F.A. Lone, R.A. Bhat, S.A. Mir, Z.A. Dar, S.A. Dar, Concerns and threats of contamination on aquatic ecosystems. Bioremediation and Biotechnology: Sustainable Approaches to Pollution Degradation, 2020, pp. 1–26.
- [40] S.J. Flora, G. Flora, G. Saxena, Environmental occurrence, health effects and management of lead poisoning, in: Lead, Elsevier, 2006, pp. 158-228.
- [41] A. Carocci, A. Catalano, G. Lauria, M.S. Sinicropi, G. Genchi, Lead toxicity, antioxidant defense and environment, Rev. Environ. Contam. Toxicol. (2016) 45–67.
- [42] Z. Yirgu, Accumulation of Certain Heavy Metals in Nile Tilapia (Oreochromis niloticus) Fish Species Relative to Heavy Metal Concentrations in the Water of Lake Hawassa, Addis Ababa University, 2011.
- [43] S. Bose-O'Reilly, K.M. McCarty, N. Steckling, B. Lettmeier, Mercury exposure and children's health, Curr. Probl. Pediatr. Adolesc. Health Care 40 (8) (2010) 186–215
- [44] B. Chen, S. Dong, Mercury contamination in fish and its effects on the health of pregnant women and their fetuses, and guidance for fish consumption—a narrative review, Int. J. Environ. Res. Publ. Health 19 (23) (2022) 15929.
- [45] Y.B. Yohannes, Levels and effects of organochlorine pesticides and heavy metals in aquatic ecosystem from the rift vally region, Ethiopia, 北海道大学 (2014).
- [46] V. Verougstraete, D. Lison, P. Hotz, Cadmium, lung and prostate cancer: a systematic review of recent epidemiological data, J. Toxicol. Environ. Health, Part A B 6 (3) (2003) 227–256.
- [47] S.V. Kuriakose, M. Prasad, 16 cadmium as an environmental contaminant: consequences to plant and human health, Trace elements as contaminants and nutrients: Consequences in ecosystems and human Health (2008) 373.
- [48] S. Prakash, A.K. Verma, Arsenic: it's toxicity and impact on human health, International Journal of Biological Innovations, IJBI 3 (1) (2021) 38-47.
- [49] J. Nriagu, P. Bhattacharya, A. Mukherjee, J. Bundschuh, R. Zevenhoven, R. Loeppert, Arsenic in soil and groundwater: an overview, Trace Metals and other Contaminants in the Environment 9 (2007) 3–60.
- [50] K. Yatera, et al., Cancer risks of hexavalent chromium in the respiratory tract, J. UOEH 40 (2) (2018) 157-172.
- [51] S. Prasad, et al., Chromium contamination and effect on environmental health and its remediation: a sustainable approaches, J. Environ. Manag. 285 (2021) 112174.
- [52] G. Genchi, A. Carocci, G. Lauria, M.S. Sinicropi, A. Catalano, Nickel: human health and environmental toxicology, Int. J. Environ. Res. Publ. Health 17 (3) (2020) 679.
- [53] U. Okereafor, M. Makhatha, L. Mekuto, N. Uche-Okereafor, T. Sebola, V. Mavumengwana, Toxic metal implications on agricultural soils, plants, animals, aquatic life and human health, Int. J. Environ. Res. Publ. Health 17 (7) (2020) 2204.
- [54] K. Jomova, et al., Essential metals in health and disease, Chem. Biol. Interact. 367 (2022) 110173.
- [55] M. Rehman, et al., Copper environmental toxicology, recent advances, and future outlook: a review, Environmental science and pollution research 26 (2019) 18003–18016.
- [56] L.M. Plum, L. Rink, H. Haase, The essential toxin: impact of zinc on human health, Int. J. Environ. Res. Publ. Health 7 (4) (2010) 1342-1365.
- [57] N. Natasha, et al., Zinc in soil-plant-human system: a data-analysis review, Sci. Total Environ. 808 (2022) 152024.
- [58] R.G. Cooper, A.P. Harrison, The uses and adverse effects of beryllium on health, Indian J. Occup. Environ. Med. 13 (2) (2009) 65–76.

[59] B. Dagnew, Z. Andualem, D.A. Angaw, K. Alemu Gelaye, H. Dagne, Duration of Exposure and Educational Level as Predictors of Occupational Respiratory Symptoms Among Adults in Ethiopia: A Systematic Review and Meta-Analysis, vol. 9, SAGE open medicine, 2021 20503121211018121.

- [60] G. Genchi, A. Carocci, G. Lauria, M.S. Sinicropi, A. Catalano, Thallium use, toxicity, and detoxification therapy: an overview, Appl. Sci. 11 (18) (2021) 8322.
- [61] T.R. Godebo, C.J. Paul, M.A. Jeuland, R. Tekle-Haimanot, Biomonitoring of metals and trace elements in urine of central Ethiopian populations, Int. J. Hyg Environ. Health 222 (3) (2019) 410–418.
- [62] Z. Rahman, V.P. Singh, The relative impact of toxic heavy metals (THMs)(arsenic (As), cadmium (Cd), chromium (Cr)(VI), mercury (Hg), and lead (Pb)) on the total environment: an overview, Environ. Monit. Assess. 191 (2019) 1–21.
- [63] E.I. Ofoezie, A.O. Eludoyin, E.B. Udeh, M.Y. Onanuga, O.O. Salami, A.A. Adebayo, Climate, urbanization and environmental pollution in West Africa, Sustainability 14 (23) (2022) 15602.
- [64] W. Ahmad, R.D. Alharthy, M. Zubair, M. Ahmed, A. Hameed, S. Rafique, Toxic and heavy metals contamination assessment in soil and water to evaluate human health risk, Sci. Rep. 11 (1) (2021) 17006.
- [65] E.S. Okeke, et al., A review of heavy metal risks around e-waste sites and comparable municipal dumpsites in major African cities: recommendations and future perspectives, Toxicology (2023) 153711.
- [66] A.K. Jalleta, Q. Tianbao, Effectiveness of chemical-and hazardous-waste-based MEAs in sustaining life and land: analysis of implementing legislations and practice in Ethiopia, Sustainability 14 (4) (2022) 2157.
- [67] N. Schiess, et al., Six action steps to address global disparities in Parkinson disease: a World Health Organization priority, JAMA Neurol. 79 (9) (2022) 929–936.
- [68] J. Khatun, A. Intekhab, D. Dhak, Effect of uncontrolled fertilization and heavy metal toxicity associated with arsenic (As), lead (Pb) and cadmium (Cd), and possible remediation, Toxicology 477 (2022) 153274.
- [69] R.E. Lundgren, A.H. McMakin, Risk Communication: A Handbook for Communicating Environmental, Safety, and Health Risks, John Wiley & Sons, 2018.
- [70] O.A. Onukogu, et al., Impacts of industrial wastewater effluent on Ekerekana Creek and policy recommendations for mitigation, The Journal of Engineering and Exact Sciences 9 (4) (2023), 15890-01e.
- [71] T.H. Sodango, X. Li, J. Sha, Z. Bao, Review of the spatial distribution, source and extent of heavy metal pollution of soil in China: impacts and mitigation approaches, Journal of Health and Pollution 8 (17) (2018) 53–70.
- [72] J. Frijns, B. Van Vliet, Small-scale industry and cleaner production strategies, World Dev. 27 (6) (1999) 967–983.
- [73] S.J. Spiegel, Socioeconomic dimensions of mercury pollution abatement: engaging artisanal mining communities in Sub-Saharan Africa, Ecol. Econ. 68 (12) (2009) 3072–3083.
- [74] J. Bricout, P.M. Baker, N.W. Moon, B. Sharma, Exploring the smart future of participation: community, inclusivity, and people with disabilities, Int. J. E Plann. Res. 10 (2) (2021) 94–108.
- [75] D. Tilbury, D. Wortman, Engaging People in Sustainability, IUCN, 2004.
- [76] M.S. Ahmad, N.B. Abu Talib, Empowering local communities: decentralization, empowerment and community driven development, Qual. Quantity 49 (2015) 827–838.
- [77] G. Hilson, J. McQuilken, Four decades of support for artisanal and small-scale mining in sub-Saharan Africa: a critical review, Extr. Ind. Soc. 1 (1) (2014) 104–118.
- [78] E. Zinabu, P. Kelderman, J. Van Der Kwast, K. Irvine, Impacts and policy implications of metals effluent discharge into rivers within industrial zones: a sub-Saharan perspective from Ethiopia, Environ. Manag. 61 (2018) 700–715.
- [79] M.C. Roebuck, J.N. Liberman, M. Gemmill-Toyama, T.A. Brennan, Medication adherence leads to lower health care use and costs despite increased drug spending, Health affairs 30 (1) (2011) 91–99.
- [80] A. Krantz, S. Dorevitch, Metal exposure and common chronic diseases: a guide for the clinician, Disease-a-Month 50 (5) (2004) 220-262.
- [81] F. Woimant, J.-M. Trocello, Disorders of heavy metals, Handb. Clin. Neurol. 120 (2014) 851-864.
- [82] L. Liu, W. Li, W. Song, M. Guo, Remediation techniques for heavy metal-contaminated soils: principles and applicability, Science of the total environment 633 (2018) 206–219.
- [83] N.R. Council, D.o. Earth, L. Studies, C.o. Geosciences, C.o.I.R. Technologies, Innovations in Ground Water and Soil Cleanup: from Concept to Commercialization, National Academies Press, 1997.
- [84] X.T. Tiamgne, F.K. Kalaba, V.R. Nyirenda, Mining and socio-ecological systems: a systematic review of Sub-Saharan Africa, Resour. Pol. 78 (2022) 102947.
- [85] W.H. Organization, Lead Exposure in African Children: Contemporary Sources and Concerns, 2015.
- [86] E. Belete, Z. Getaneh, D. Debebe, Assessment of lead contamination in soil and tap water in daycare facilities in Addis Ababa: implications for children's health, Water Pract. Technol. (2024) wpt2024159.
- [87] K.-H. Kim, E. Kabir, S.A. Jahan, A review on the distribution of Hg in the environment and its human health impacts, J. Hazard Mater. 306 (2016) 376–385.
- [88] E. Habineza, R. Makwinja, Y. Inagaki, Contamination and health risks of trace metals in water and sediments of May Sieley stream, Ethiopia, Phys. Chem. Earth, Parts A/B/C 129 (2023) 103315.
- [89] G. Fatima, A.M. Raza, N. Hadi, N. Nigam, A.A. Mahdi, Cadmium in human diseases: it's more than just a mere metal, Indian J. Clin. Biochem. 34 (4) (2019) 371–378.
- [90] A.A. Belew, A.T. Besha, A.A. Belete, Determination of heavy metals and health risk assessment in drinking water in Jigjiga City, Ethiopia, Discover Environment 2 (1) (2024) 41.
- [91] J.C. Ng, Environmental contamination of arsenic and its toxicological impact on humans, Environ. Chem. 2 (3) (2005) 146-160.
- [92] B.A. Mekonnen, M.G. Yizengaw, H. Kassahun, G. Ketema, Health risk assessment of potentially toxic elements contamination of commonly consumed fruits in bahir dar town, northwest Ethiopia, International Journal of Food Science 2024 (1) (2024) 6677324.
- [93] M. Shadreck, T. Mugadza, Chromium, an essential nutrient and pollutant: a review, Afr. J. Pure Appl. Chem. 7 (9) (2013) 310-317.
- [94] E. Dessie, Determination of Selected Heavy Metal Content and its Associated Health Risk in Selected Vegetables and Fruits Marketed in Bahir Dar Town, North West Ethiopia, Department of pharmacy, Wollo University, 2022.
- [95] C.B. Klein, M. Costa, Nickel, in: Handbook on the Toxicology of Metals, Elsevier, 2022, pp. 615-637.
- [96] A.D. MacMahon, Copper: a Materials Survey, US Department of the Interior, Bureau of Mines, 1965.
- [97] D.T. Haileslassie, "Levels of Selected Heavy Metals in Soil and Leafy Vegetables from Hirna Areas, Ethiopia,", 2018.
- [98] B.R. Singh, E. Steinnes, Soil and water contamination by heavy metals, in: Soil Processes and Water Quality, CRC Press, 2020, pp. 233–271.
- [99] A. Gebrekidan, Y. Weldegebriel, A. Hadera, B. Van der Bruggen, Toxicological assessment of heavy metals accumulated in vegetables and fruits grown in Ginfel river near Sheba Tannery, Tigray, Northern Ethiopia, Ecotoxicology and environmental safety 95 (2013) 171–178.
- [100] Y. Bezie, M. Taye, A. Kumar, Recent advancement in phytoremediation for removal of toxic compounds, in: Nanobiotechnology for Green Environment, CRC Press, 2021, pp. 195–228.
- [101] S. Chen, Y. Ding, Tackling heavy metal pollution: evaluating governance models and frameworks, Sustainability 15 (22) (2023) 15863.
- [102] M. Bekele, Ethiopia's environmental policies, strategies and programs. Digest of Ethiopia's National Policies, Strategies and Programs, FSS, Addis Ababa, Ethiopia, 2008, pp. 337–369.
- [103] Y. Zhang, C. Chu, T. Li, S. Xu, L. Liu, M. Ju, A water quality management strategy for regionally protected water through health risk assessment and spatial distribution of heavy metal pollution in 3 marine reserves, Sci. Total Environ. 599 (2017) 721–731.
- [104] T. Fenta, A. Assefa, Harnessing local and outsiders' knowledge: experiences of a multi-stakeholder partnership to promote farmer innovation in Ethiopia, in: Innovation Africa, Routledge, 2012, pp. 115–129.
- [105] A.C. King, et al., Community-based approaches to reducing health inequities and fostering environmental justice through global youth-engaged citizen science, Int. J. Environ. Res. Publ. Health 18 (3) (2021) 892.
- [106] A. Inobeme, et al., Recent advances in nanotechnology for remediation of heavy metals, Environ. Monit. Assess. 195 (1) (2023) 111.

[107] N.A. Ashford, "Understanding Technological Responses of Industrial Firms to Environmental Problems: Implications for Government Policy (Chapter),", 1993.

- [108] T.P. Hanna, A.C. Kangolle, Cancer control in developing countries: using health data and health services research to measure and improve access, quality and efficiency, BMC Int. Health Hum. Right 10 (2010) 1–12.
- [109] N. Brooks, W.N. Adger, Assessing and enhancing adaptive capacity. Adaptation Policy Frameworks for Climate Change: Developing Strategies, Policies and Measures, 2005, pp. 165–181.
- [110] L. Compagnucci, F. Spigarelli, Fostering cross-sector collaboration to promote innovation in the water sector, Sustainability 10 (11) (2018) 4154.
- [111] T.A. Afework, Addis Ababa institute of technology, school of civil and environmental engineering, institute of technology, school of civil and environmental engineering (2019).
- [112] W. H. Organization, The World Health Report 2006: Working Together for Health, World Health Organization, 2006.
- [113] S. Kumar, et al., Hazardous heavy metals contamination of vegetables and food chain: role of sustainable remediation approaches-A review, Environ. Res. 179 (2019) 108792.
- [114] K. Mostaghimi, J. Behnamian, Waste minimization towards waste management and cleaner production strategies: a literature review, Environ. Dev. Sustain. 25 (11) (2023) 12119–12166.